

TECHNI CONNECT 04

Includes NATO STOCK NUMBER for HOSE 04-01-203 :4720-99-490-4589



Temperature Operating Range: - 60 / + 260 C°

Hose Features:

- Good temperature resistance
- Small bend radius
- Good compressibility: 1:7
- External galvanised steel helix protects against abrasion

- Lightweight

Suitable for use in:

- Hot air transfer
- Exhaust transfer
- Defence industries
- Aircraft ground support machines
- Low pressure applications
- In-Tent heater
- Hot air generator
- Moulding applications

Length: 10 m

PRODUCT CODES: SIZES & TECHNICAL SPECIFICATIONS

PRODUCT CODE	INNER DIAMETER	WORKING PRESSURE	VACUUM	BENDING RADIUS	WEIGHT
<i>Units</i>	<i>mm</i>	<i>bar</i>	<i>bar</i>	<i>mm</i>	<i>gr./mt.</i>
04-01-90	90	0,370	0,105	62,5	0,880
04-01-102	102	0,278	0,090	69,0	0,775
04-01-112	112	0,249	0,076	75,5	0,870
04-01-127	127	0,215	0,060	85,5	0,990
04-01-133	133	0,206	0,054	88,5	1,010
04-01-140	140	0,190	0,046	95,0	1,055
04-01-152	152	0,149	0,038	101,5	0,925
04-01-160	160	0,138	0,033	108,0	0,955
04-01-180	180	0,121	0,027	121,0	1,065
04-01-203	203	0,107	0,023	134,0	1,225
04-01-229	229	0,094	0,018	162,0	1,400
04-01-254	254	0,075	0,017	179,0	1,500
04-01-280	280	0,067	0,016	197,0	1,805
04-01-305	305	0,061	0,007	214,0	1,980
04-01-315	315	0,057	0,007	224,5	2,025
04-01-356	356	0,045	0,007	249,0	2,330
04-01-406	406	0,039	0,007	284,0	2,785
04-01-457	457	0,036	0,003	341,5	3,185
04-01-508	508	0,027	0,003	379,0	3,585
04-01-559	559	0,025	0,003	395,0	3,975
04-01-610	610	0,021	0,002	454,0	4,390
04-01-710	710	0,017	0,002	529,0	5,145
04-01-820	820	0,016	0,002	604,0	5,900
04-01-920	920	0,012	0,001	679,0	6,650
04-01-1030	1030	0,009	0,001	734,0	7,435
04-01-1130	1130	0,006	0,001	789,0	8,120
04-01-1240	1240	0,004	0,001	827,0	8,810